
Pamphlet: Protect Your Family From Lead in Your Home



Protect Your Family From Lead In Your Home









United States Environmental Protection Agency



United States Consumer Product Safety Commission



United States Department of Housing and Urban Development

EPA747-K-99-001 April 1999

Are You Planning To Buy, Rent, or Renovate a Home Built Before 1978?

any houses and apartments built before 1978 have paint that contains lead (called lead-based paint). Lead from paint, chips, and dust can pose serious health hazards if not taken care of properly.

Federal law requires that individuals receive certain information before renting, buying, or renovating pre-1978 housing:



LANDLORDS have to disclose known information on lead-based paint and lead-based paint hazards before leases take effect. Leases must include a disclosure form about lead-based paint.



SELLERS have to disclose known information on lead-based paint and lead-based paint hazards before selling a house. Sales contracts must include a disclosure form about lead-based paint. Buyers have up to 10 days to check for lead hazards.

RENOVATORS have to give you this pamphlet before starting work. (After June 1, 1999.)

IF YOU WANT MORE INFORMATION

on these requirements, call the National Lead Information Clearinghouse at **1-800-424-LEAD**.

This document is in the public domain. It may be reproduced by an individual or organization without permission. Information provided in this booklet is based upon current scientific and technical understanding of the issues presented and is reflective of the jurisdictional boundaries established by the statutes governing the co-authoring agencies. Following the advice given will not necessarily provide complete protection in all situations or against all health hazards that can be caused by lead exposure.

IMPORTANT!

Lead From Paint, Dust, and Soil Can Be Dangerous If Not Managed Properly

FACT: Lead exposure can harm young children and babies even before they are born.

FACT: Even children who seem healthy can have high levels of lead in their bodies.

FACT: People can get lead in their bodies by breathing or swallowing lead dust, or by eating soil or paint chips containing lead.

FACT: People have many options for reducing lead hazards. In most cases, lead-based paint that is in good condition is not a hazard.

FACT: Removing lead-based paint improperly can increase the danger to your family.

If you think your home might have lead hazards, read this pamphlet to learn some simple steps to protect your family.

Lead Gets in the Body in Many Ways

In the United States, about 900,000 children ages 1 to 5 have a blood-lead level above the level of concern.


Even children who appear healthy can have dangerous levels of lead in their bodies.

People can get lead in their body if they:

- Put their hands or other objects covered with lead dust in their mouths.
- Eat paint chips or soil that contains lead.
- Breathe in lead dust (especially during renovations that disturb painted surfaces).

Lead is even more dangerous to children than adults because:

- Babies and young children often put their hands and other objects in their mouths. These objects can have lead dust on them.
- Children's growing bodies absorb more lead.
- Children's brains and nervous systems are more sensitive to the damaging effects of lead.




Lead's Effects

If not detected early, children with high levels of lead in their bodies can suffer from:

- Damage to the brain and nervous system
- Behavior and learning problems (such as hyperactivity)
- Slowed growth
- Hearing problems
- Headaches

Lead is also harmful to adults. Adults can suffer from:

- Difficulties during pregnancy
- Other reproductive problems (in both men and women)
- High blood pressure
- Digestive problems
- Nerve disorders
- Memory and concentration problems
- Muscle and joint pain



Lead affects the body in many ways.

Where Lead-Based Paint Is Found

In general, the older your home, the more likely it has leadbased paint. Many homes built before 1978 have leadbased paint. The federal government banned lead-based paint from housing in 1978. Some states stopped its use even earlier. Lead can be found:

- In homes in the city, country, or suburbs.
- In apartments, single-family homes, and both private and public housing.
- Inside and outside of the house.
- In soil around a home. (Soil can pick up lead from exterior paint or other sources such as past use of leaded gas in cars.)

Checking Your Family for Lead

Get your children and home tested if you think your home has high levels of lead. To reduce your child's exposure to lead, get your child checked, have your home tested (especially if your home has paint in poor condition and was built before 1978), and fix any hazards you may have. Children's blood lead levels tend to increase rapidly from 6 to 12 months of age, and tend to peak at 18 to 24 months of age.

Consult your doctor for advice on testing your children. A simple blood test can detect high levels of lead. Blood tests are usually recommended for:

- Children at ages 1 and 2.
- Children or other family members who have been exposed to high levels of lead.
- Children who should be tested under your state or local health screening plan.

Your doctor can explain what the test results mean and if more testing will be needed.

Where Lead Is Likely To Be a Hazard

Lead-based paint that is in good condition is usually not a hazard.

Peeling, chipping, chalking, or cracking lead-based paint is a hazard and needs immediate attention.

Lead-based paint may also be a hazard when found on surfaces that children can chew or that get a lot of wear-and-tear. These areas include:

- Windows and window sills.
- Doors and door frames.
- Stairs, railings, and banisters.
- Porches and fences.

Lead dust can form when lead-based paint is dry scraped, dry sanded, or heated. Dust also forms when painted surfaces bump or rub together. Lead chips and dust can get on surfaces and objects that people touch. Settled lead dust can re-enter the air when people vac-

Lead in soil can be a hazard when children play in bare soil or when people bring soil into the house on their shoes. Call your state agency (see page 11) to find out about testing soil for lead.

uum, sweep, or walk through it.

Lead from paint chips, which you can see, and lead dust, which you can't always see, can both be serious hazards.





Checking Your Home for Lead Hazards

Just knowing that a home has lead-based paint may not tell you if there is a hazard.

You can get your home checked for lead hazards in one of two ways, or both:

- ◆ A paint inspection tells you the lead content of every different type of painted surface in your home. It won't tell you whether the paint is a hazard or how you should deal with it.
- ◆ A risk assessment tells you if there are any sources of serious lead exposure (such as peeling paint and lead dust). It also tells you what actions to take to address these hazards.

Have qualified professionals do the work. There are standards in place for certifying lead-based paint professionals to ensure the work is done safely, reliably, and effectively. Contact your state lead poisoning prevention program for more information. Call 1-800-424-LEAD for a list of contacts in your area.

Trained professionals use a range of methods when checking your home, including:

- Visual inspection of paint condition and location.
- A portable x-ray fluorescence (XRF) machine.
- Lab tests of paint samples.
- Surface dust tests.

Home test kits for lead are available, but studies suggest that they are not always accurate. Consumers should not rely on these tests before doing renovations or to assure safety.



What You Can Do Now To Protect Your Family

If you suspect that your house has lead hazards, you can take some immediate steps to reduce your family's risk:

- If you rent, notify your landlord of peeling or chipping paint.
- Clean up paint chips immediately.
- ◆ Clean floors, window frames, window sills, and other surfaces weekly. Use a mop or sponge with warm water and a general all-purpose cleaner or a cleaner made specifically for lead. REMEMBER: NEVER MIX AMMONIA AND BLEACH PRODUCTS TOGETHER SINCE THEY CAN FORM A DANGEROUS GAS.
- Thoroughly rinse sponges and mop heads after cleaning dirty or dusty areas.
- Wash children's hands often, especially before they eat and before nap time and bed time.
- Keep play areas clean. Wash bottles, pacifiers, toys, and stuffed animals regularly.
- Keep children from chewing window sills or other painted surfaces.
- Clean or remove shoes before entering your home to avoid tracking in lead from soil.
- Make sure children eat nutritious, low-fat meals high in iron and calcium, such as spinach and dairy products. Children with good diets absorb less lead.







How To Significantly Reduce Lead Hazards

Removing lead improperly can increase the hazard to your family by spreading even more lead dust around the house.

Always use a professional who is trained to remove lead hazards safely.



In addition to day-to-day cleaning and good nutrition:

- You can temporarily reduce lead hazards by taking actions such as repairing damaged painted surfaces and planting grass to cover soil with high lead levels. These actions (called "interim controls") are not permanent solutions and will need ongoing attention.
- ◆ To permanently remove lead hazards, you must hire a certified lead "abatement" contractor. Abatement (or permanent hazard elimination) methods include removing, sealing, or enclosing lead-based paint with special materials. Just painting over the hazard with regular paint is not enough.

Always hire a person with special training for correcting lead problems—someone who knows how to do this work safely and has the proper equipment to clean up thoroughly. Certified contractors will employ qualified workers and follow strict safety rules as set by their state or by the federal government.

Call your state agency (see page 11) for help with locating certified contractors in your area and to see if financial assistance is available.

Remodeling or Renovating a Home With Lead-Based Paint

Take precautions before your contractor or you begin remodeling or renovations that disturb painted surfaces (such as scraping off paint or tearing out walls):

- Have the area tested for lead-based paint.
- ◆ Do not use a belt-sander, propane torch, heat gun, dry scraper, or dry sandpaper to remove lead-based paint. These actions create large amounts of lead dust and fumes. Lead dust can remain in your home long after the work is done.
- ◆ Temporarily move your family (especially children and pregnant women) out of the apartment or house until the work is done and the area is properly cleaned. If you can't move your family, at least completely seal off the work area.
- ◆ Follow other safety measures to reduce lead hazards. You can find out about other safety measures by calling 1-800-424-LEAD. Ask for the brochure "Reducing Lead Hazards When Remodeling Your Home." This brochure explains what to do before, during, and after renovations.

If you have already completed renovations or remodeling that could have released lead-based paint or dust, get your young children tested and follow the steps outlined on page 7 of this brochure.



If not conducted properly, certain types of renovations can release lead from paint and dust into the air.



Other Sources of Lead



While paint, dust, and soil are the most common lead hazards, other lead sources also exist. plumbing with lead or lead solder. Call your local health department or water supplier to find out about testing your water. You cannot see, smell, or taste lead, and boiling your water will not get rid of lead. If you think your plumbing might have lead in it:

Drinking water. Your home might have

- Use only cold water for drinking and cooking.
- Run water for 15 to 30 seconds before drinking it, especially if you have not used your water for a few hours.
- ◆ The job. If you work with lead, you could bring it home on your hands or clothes. Shower and change clothes before coming home. Launder your work clothes separately from the rest of your family's clothes.
- Old painted toys and furniture.
- Food and liquids stored in lead crystal or lead-glazed pottery or porcelain.
- ◆ Lead smelters or other industries that release lead into the air.
- Hobbies that use lead, such as making pottery or stained glass, or refinishing furniture.
- Folk remedies that contain lead, such as "greta" and "azarcon" used to treat an upset stomach.





For More Information

The National Lead Information Center

Call **1-800-424-LEAD** to learn how to protect children from lead poisoning and for other information on lead hazards. (Internet: www.epa.gov/lead and www.hud.gov/lea).


For the hearing impaired, call the Federal Information Relay Service at **1-800-877-8339** and ask for the National Lead Information Center at **1-800-424-LEAD**.

EPA's Safe Drinking Water Hotline

Call **1-800-426-4791** for information about lead in drinking water.

Consumer Product Safety Commission Hotline

To request information on lead in consumer products, or to report an unsafe consumer product or a product-related injury call 1-800-638-2772. (Internet: www@cpsc.gov). For the hearing impaired, call TDD 1-800-638-8270.



State Health and Environmental Agencies

Some cities and states have their own rules for lead-based paint activities. Check with your state agency to see if state or local laws apply to you. Most state agencies can also provide information on finding a lead abatement firm in your area, and on possible sources of financial aid for reducing lead hazards. Receive up-to-date address and phone information for state and local contacts on the Internet at www.epa.gov/lead or contact the National Lead Information Center at 1-800-424-LEAD.

EPA Regional Offices

Your Regional EPA Office can provide further information regarding regulations and lead protection programs.

EPA Regional Offices

Region 1 (Connecticut, Massachusetts, Maine, New Hampshire, Rhode Island, Vermont)

Regional Lead Contact U.S. EPA Region 1 Suite 1100 (CPT) One Congress Street Boston, MA 02114-2023 1 (888) 372-7341

Region 2 (New Jersey, New York, Puerto Rico, Virgin Islands)

Regional Lead Contact U.S. EPA Region 2 2890 Woodbridge Avenue Building 209, Mail Stop 225 Edison, NJ 08837-3679 (732) 321-6671

Region 3 (Delaware, Washington DC, Maryland, Pennsylvania, Virginia, West Virginia)

Regional Lead Contact U.S. EPA Region 3 (3WC33) 1650 Arch Street Philadelphia, PA 19103 (215) 814-5000

Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee)

Regional Lead Contact U.S. EPA Region 4 61 Forsyth Street, SW Atlanta, GA 30303 (404) 562-8998

Region 5 (Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin)

Regional Lead Contact U.S. EPA Region 5 (DT-8J) 77 West Jackson Boulevard Chicago, IL 60604-3666 (312) 886-6003 **Region 6** (Arkansas, Louisiana, New Mexico, Oklahoma, Texas)

Regional Lead Contact U.S. EPA Region 6 1445 Ross Avenue, 12th Floor Dallas, TX 75202-2733 (214) 665-7577

Region 7 (Iowa, Kansas, Missouri, Nebraska)

Regional Lead Contact U.S. EPA Region 7 (ARTD-RALI) 901 N. 5th Street Kansas City, KS 66101 (913) 551-7020

Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming)

Regional Lead Contact U.S. EPA Region 8 999 18th Street, Suite 500 Denver, CO 80202-2466 (303) 312-6021

Region 9 (Arizona, California, Hawaii, Nevada)

Regional Lead Contact U.S. Region 9 75 Hawthorne Street San Francisco, CA 94105 (415) 744-1124

Region 10 (Idaho, Oregon, Washington, Alaska)

Regional Lead Contact U.S. EPA Region 10 Toxics Section WCM-128 1200 Sixth Avenue Seattle, WA 98101-1128 (206) 553-1985

CPSC Regional Offices

Your Regional CPSC Office can provide further information regarding regulations and consumer product safety.

Eastern Regional Center 6 World Trade Center Vesey Street, Room 350 New York, NY 10048 (212) 466-1612

Central Regional Center 230 South Dearborn Street Room 2944 Chicago, IL 60604-1601 (312) 353-8260 Western Regional Center 600 Harrison Street, Room 245 San Francisco, CA 94107 (415) 744-2966

HUD Lead Office

Please contact HUD's Office of Lead Hazard Control for information on lead regulations, outreach efforts, and lead hazard control and research grant programs.

U.S. Department of Housing and Urban Development Office of Lead Hazard Control 451 Seventh Street, SW, P-3206 Washington, DC 20410 (202) 755-1785

Simple Steps To Protect Your Family From Lead Hazards

If you think your home has high levels of lead:

- Get your young children tested for lead, even if they seem healthy.
- Wash children's hands, bottles, pacifiers, and toys often.
- Make sure children eat healthy, low-fat foods.
- Get your home checked for lead hazards.
- Regularly clean floors, window sills, and other surfaces.
- ♦ Wipe soil off shoes before entering house.
- ◆ Talk to your landlord about fixing surfaces with peeling or chipping paint.
- ◆ Take precautions to avoid exposure to lead dust when remodeling or renovating (call 1-800-424-LEAD for guidelines).
- Don't use a belt-sander, propane torch, heat gun, dry scraper, or dry sandpaper on painted surfaces that may contain lead.
- Don't try to remove lead-based paint yourself.

40 CFR Part 745: Lead-Based Paint Hazards

among young children by supporting the implementation of the national lead program. Because exposure to lead in paint, dust, and soil is mostly limited to children under the age of 6, young children are, in fact, the primary beneficiaries of this proposed rule, as well as the program.

G. National Technology Transfer and Advancement Act

This proposed regulatory action does not involve any technical standards that would require Agency consideration of voluntary consensus standards pursuant to section 12(d) of the National Technology Transfer and Advancement Act of 1995 (NTTAA), Pub. L. 104-113, section 12(d) (15 U.S.C. 272 note). Section 12(d) directs EPA to use voluntary consensus standards in its regulatory activities unless to do so would be inconsistent with applicable law or otherwise impractical. Voluntary consensus standards are technical standards (e.g., materials specifications, test methods, sampling procedures, business practices, etc.) that are developed or adopted by voluntary consensus standards bodies. The NTTAA requires EPA to provide Congress, through OMB, explanations when the Agency decides not to use available and applicable voluntary consensus standards. EPA invites public comment on this conclusion.

List of Subjects in Part 745

Environmental protection, Hazardous substances, Lead-based paint, Lead poisoning, Reporting and recordkeeping requirements.

Dated: May 26, 1998.

Carol M. Browner,

Administrator.

Therefore, it is proposed that 40 CFR part 745 be amended as follows:

PART 745—[AMENDED]

1. The authority citation for part 745 continues to read as follows:

Authority: 15 U.S.C. 2605, 2607, 2615, 2681-2692 and U.S.C. 4852d.

2. By adding new subpart D to read as follows:

Subpart D—Lead-Based Paint Hazards

Sec

745.61 Scope and applicability.

745.63 Definitions.

745.65 Lead-based paint hazards.745.69 Determining whether lead-based

paint hazards are present.

Subpart D—Lead-Based Paint Hazards

§745.61 Scope and applicability.

- (a) This subpart identifies lead-based paint hazards.
- (b) The standards for lead-based paint hazards apply to target housing and child-occupied facilities.
- (c) Nothing in this subpart requires any person to evaluate the property(ies) for the presence of lead-based paint hazards or to take any action to control these conditions if one or more of them is identified.

§745.63 Definitions.

The following definitions apply to this subpart.

Arithmetic mean means the algebraic sum of data values divided by the number of data values (e.g., the sum of the concentration of lead in several soil samples divided by the number of samples).

Certified risk assessor means an individual who has been trained by an accredited training program, as defined by § 745.223, and certified by EPA pursuant to § 745.226 or by an authorized State or Tribal program to conduct risk assessments. A certified risk assessor also samples for the presence of lead in dust and soil for the purposes of abatement clearance testing.

Child-occupied facility means a building, or portion of a building, constructed prior to 1978, visited regularly by the same child, 6 years of age or under, on at least two different days within any week (Sunday through Saturday period), provided that each day's visit lasts at least 3 hours and the combined weekly visit lasts at least 6 hours, and the combined annual visits last at least 60 hours. Child-occupied facilities may include, but are not limited to, day-care centers, preschools, and kindergarten classrooms.

Deteriorated paint means paint that is cracking, flaking, chipping, peeling, or otherwise separating from the substrate of a building component.

Interior window sill means the portion of the horizontal window ledge that protrudes into the interior of the room.

Lead-based paint means paint or other surface coatings that contain lead equal to or exceeding 1.0 milligram per square centimeter or 0.5 percent by weight.

Lead-based paint hazard means hazardous lead-based paint, a dust-lead hazard, or a soil-lead hazard as described in § 745.65.

Paint in poor condition means more than 10 square feet of deteriorated paint on exterior components with large surface areas; or more than 2 square feet of deteriorated paint on interior components with large surface areas (e.g., walls, ceilings, floors, doors); or more than 10 percent of the total surface area of the component is deteriorated on interior or exterior components with small surface areas (e.g., window sills, baseboards, soffits, trim).

Risk assessment means an on-site investigation to determine the existence, nature, severity, and location of lead-based paint hazards, and the provision of a report by the individual or the firm conducting the risk assessment, explaining the results of the investigation and options for reducing lead-based paint hazards.

Target housing means any housing constructed prior to 1978, except housing for the elderly or persons with disabilities (unless any one or more children age 6 years or under resides or is expected to reside in such housing for the elderly or persons with disabilities) or any 0-bedroom dwelling.

Weighted arithmetic mean means the arithmetic mean of sample results weighted by the number of subsamples in each sample. Its purpose is to give influence to a sample relative to the number of subsamples it contains. A single surface sample is comprised of a single subsample. A composite sample may contain from two to four subsamples. The weighted arithmetic mean is obtained by summing for all samples, the product of the sample's result multiplied by the number of subsamples in the sample, and dividing the sum by the total number of subsamples contained in all samples. For example, the weighted arithmetic mean of a single surface sample containing 60 µg/ft2, a composite sample (3 subsamples) containing 100 μg/ft², and a composite sample (4 subsamples) containing 110 µg/ft² is 100 µg/ft². This result is based on the equation [60+(3*100)+(4*110)]/8.

Wipe sample means a sample collected by wiping a representative surface of known area with an acceptable wipe material (e.g., moist towelette).

§745.65 Lead-based paint hazards.

- (a) Hazardous lead-based paint. Hazardous lead-based paint is lead-based paint in poor condition.
- (b) Dust-lead hazard. A dust-lead hazard is dust that contains lead equal to or exceeding 50 $\mu g/ft^2$ on uncarpeted floors or 250 $\mu g/ft^2$ on interior window sills based on wipe samples.
- (c) *Soil-lead hazard*. A soil-lead hazard is bare soil that contains total lead equal to or exceeding 2,000 parts per million.

The Lead-Based Paint **Pre-Renovation Education Rule**

The Lead Pre-Renovation Education Rule (Lead PRE) At-A-Glance

If you will be working for **compensation** in a pre-1978 home or apartment building, answer the questions below to determine if Lead PRF requires you to give the **lead pamphlet** to the **owner** and occupants.

Does this job involve **renovations** which disturb painted surfaces?



YES

Are ANY of the following conditions present?

- The work is an emergency renovation
- The work is a lead abatement project
- The work consists of **minor repairs or maintenance** that disturbs 2 square feet or less of painted surfaces


The housing or its components have been determined to be lead-based paint free by a certified inspector or risk assessor

(f Any

YES


- The housing is a **zero-bedroom dwelling** (studio apartments, durmitories, etc.)
- The housing is **housing for the elderly** or disabled AND children are not expected to reside there

智量



If no, then you need to read this book!
Rental property owners and managers,
renovators, and maintenance personnel
are affected by Lead PRE.

Bold Type - Key Terms (see pages 8-10 inside)



What Is The Lead-Based Paint Pre-Renovation Education Rule (Lead PRE)?

- The Lead PRE Rule is a Federal regulation affecting construction contractors, property managers, and others who perform renovations for compensation in residential housing that may contain lead-based paint.
- It applies to residential houses and apartments built before 1978.
- It requires distribution of the lead pamphlet, Protect Your Family from Lead in Your Home, to the owners and occupants before starting renovation work.
- Renovation includes most repair, remodeling, and maintenance activities that disturb painted surfaces.
- Lead PRE implements Section 406(b) of the Toxic Substances Control Act (TCSA).

About This Handbook

- This handbook summarizes Lead PRE and how to comply with it. To ensure compliance, you should also read the rule.
- Key terms are highlighted in bold and are explained on pages 8:10.

Who Should Read This Handbook?

- Anyone who owns or manages housing built before 1978.
- Contractors who perform renovations (including certain repairs and maintenance) which disturb paint in homes built before 1978.

How Can This Handbook Help Me?

- This handbook presents simple steps to follow to comply with Load PRE.
 It also lists ways these steps can be easily incorporated into your work.
- Having demonstrated knowledge of load requirements and safety practices can mean more business for you.
- Distributing the **lead pamphlet** to your customers and tenants can help them protect themselves and their children from the hazards of leadbased paint.
- This handbook describes the law, it also explains the proper steps to take to avoid potentially significant civil (monetary) and criminal fines and penalties.

Where Can I Get Copies of the Lead Pamphlet?

For single copies of Protect Your Family From Lead in Your Horne (in Spanish or English), call the National Lead Information Clearinghouse (NLIC) at 1.800-424-LEAD. For any orders, be sure to use the stock reference number EPA747-K-99-001.

There are four ways to get multiple copies:


- Call the Government Printing Office order desk at (202) 512-1800.
- Send fax requests to (202) 512-2233.
 Request coples in writing from:

Superintendent of Documents

P.O. Box 371954 Pittsburgh, PA 15250-7954 4. Obtain via the Internet at www.epa.gov/lead

Single copies are available at no charge. Bulk copies available in packs of 50.

The pamphlet may be photocopied for distribution as long as the text and graphics are readable. Camera-ready copies are available from NLIC or via the internet.



Sample Forms (continued)

Renovation Notice — For use in notifying tenants of renovations in common areas of multi-family housing.

The following renovation activities will take place in the following locations:

Activity (e.g., sanding, window replacement)

Location (e.g., lobby, recreation center)

The expected starting date is

and the expected ending

Bocause this is an older building built before 1978, obtain a copy of the pamphlet, Protect Your Family From Lead in Your Home, by Please leave a message and be sure to some of the paint disturbed during the renovation may contain lead. You may

include your name, phone number and address. I will either mail you a pamphlet telephoning me at

or slide one under your door.

Printed name of renovator

Date

Signature of renovator

Record of Tenant Notification Procedures — Procedures Used For Delivering Notices to Tenants of Renovations in Common Areas

Project Address:

(apt. #) Street

Š

Zip Code

Number of dwelling units Owner of multi family housing

Method of delivering notice forms (e.g. delivery to units, delivery to mailboxes of units)

Name of person delivering notices

Signature of porson delivering notices

Date of Delivery

What Does Lead PRE Require Me To Do?

- Distribute a lead pamphlet to the housing owner and occupants before renovation starts.
- 2. Obtain confirmation of receipt of lead pamphlet (see page 11) from owner and occupants or a certificate of mailing from the post office.
- For work in common areas of multi-family housing, distribute renovation notices to tenants. m
- Retain records for 3 years.


(See page 4 for more details)

Who Must Follow These Requirements?

In general, anyone whose componsated work disturbs paint in housing built before 1978, including:

- Residential rental property owners/managers
- General contractors
- Special trade contractors, including
- Painters
- Plumbers

Carpenters



Bold Type - Key Terms (see pages 8-10)

-

What Types Of Activities Are Subject To Lead PRE?

In general, any activity that disturbs paint in pre-1978 housing, including:

- Remodeling and repair/maintenance Electrical work
- Plumbing
- Camentry

- Pam
- Painting
- Window replacement





What Housing Or Activities Are Excluded From Lead PRE?

- Housing built in 1978 or later
- Housing for the elderly or disabled persons (unless children will reside there)
- Zero-bedroom dwellings (studio apartment, domnitories, etc.)
- Housing or components declared lead-free by a certified inspector or risk assessor
- Emergency renovations and repairs
- Minor repairs and maintenance that disturb two square feet or less of paint per component

Sample Forms

The forms on the next two pages are sample forms you can use to make documentation of compliance easier.

بيه
_
0
ž.
ø
ρ,
겁
12
6
of Lead
*~
in
ž
ŏ
5
Rece
4
ō
₽
Ξ,
÷
2
8
æ
2
O
ርን

I have received a copy of the pamphlet, Protect Your Family Frum Lead in Your Horse, informing me of the potential risk of the load hazard exposure from reno vation activity to be performed in my dwelling unit. I reneived this pamphlet before the work bogan.

Date	
Printed name of recipient	Signature of recipient

Self-Certification Option (for tenant-occupied dwellings only) — If the lead pamphlet was delivered but a tenant signature was not obtainable, you may check the appropriate box below.

- F) Refusal to sign—I certify that I have made a good faith effort to deliver the pamphlet, Protect your Family From Lead in Your Home, to the rental dwelling unit listed below at the date and time indicated and that the accupant refused to sign the confirmation of receipt. I further certify that I have left a copy of the pamphlet at the unit with the occupant.
- ☐ Unavailable for signature I certify that I have made a good faith effort to deliver the pamphlet, Protect Kiur Family From Lead In Your Flume, to the rental dwelling unit listed below and that the occupant was unavailable to sign the confirmation of receipt. I further certify that I have left a copy of the pamphlet at the unit by sliding it under the door.

Printed name of person certifying ead pamphlet delivery	Attempted delivery date and time
signature of person certifying ead pamphlet dollvery	
Unit Address	

Note Regarding Mailing Option — As an altornative to delivery in person, you may mail the lead pamphlet to the owner and/or tenant. Pamphlet must be mailed at least 7 days before renovation (Document will) a certificate of mailing

existing structure in housing that disturbs a painted Renovation — modification of all or part of any surface. Includes:

- Removal/modification of painted surfaces, components, or structures
- (sanding/scraping/other activities Surface preparation activities that may create paint dust)
- Window replacement

Examples 1: Demolition of painted walls

or ceilings

- 2: Large surface replastering 3: Major plumbing repairs or
 - Major plumbing repairs or improvements
- 4: Any other activities which disturb painted surfaces

Renovation Notice — notice to tenants of renovations in common areas of nature, location, and expected timing of renovation activity; and must explain multifamily housing. (See sample form on page 12.) Notice must describe how the lead pamphlet may be obtained free of charge.

defined above. (Note: Because the term "renovation" is defined broadly by Lead PRE, many contractors who are not generally considered to "renova-Renovator — a person who performs for compensation a renovation, as tors," as that term is commonly used, are considered to be "renovators" under Lead PRE, and must follow Lead PRE requirements.)

delivery of the lead pamphlet to a tenant. This method may be used whenever pamphlet. (See sample form on page 11.) (**Note:** This method is not a permissible the tenant is unavailable or unwilling to sign a confirmation of receipt of lead Self-Certification of Delivery — an atternative method of documenting substitute for documenting delivery of the lead pamphlet to an owner.)

Special Trade Contractors — individuals or companies performing work in specialized occupations such as painting, electrical work, plumbing, or carpentry.

Supplemental Renovation Notice — additional notification that is required when the scope, location, or timing of project changes.

is not separated from the sleeping area. This term includes efficiency and stu-Zero-Bedroom Dwelling — any residential dwelling where the living area dio apartments, dormitory housing, and military barracks.

Lead PRE At-A-Glance

building, answer the questions below to determine if Lead PRE requires you If you will be working for compensation in a pre-1978 home or apartment to give the lead pamphlet to the owner and occupants.

Does this job involve renovations which disturb painted surfaces?



Are ANY of the following conditions present?

- The work is an emergency renovation
- The work is a lead abatement project
- maintenance that disturbs 2 square feet - The work consists of minor repairs or or less of painted surfaces
- been determined to be lead-based paint The housing or its components have free by a certified inspector or risk assessor
- The housing is a zero-bedroom dwelling (studio apartments, dormitories, etc.)
- The housing is housing for the elderly or disabled AND children are not expected to reside there



9

If All No

If no, then you need to provide the lead pamphlet (see page 4).

Bold Type = Key Terms (see pages 8-10)

က

Lead PRE Requirements? How Do I Meet The

Renovation Location

Procedures to Follow

80X 7

begins and obtain **confirmation of receipt**. (sample torm on page 11). Deliver lead pamphlet to owner betore renovation

Owner-Occupied

Renovations in

Dwelling Units

Mail lead pamphlet to owner 7 days before renova-tion begins and document with certificate of mailing

Box 2

Provide lead pamphlet to owner using either procedure described in Rox 1 above. Provide lead parriphlet to tonant by either method ri (a) Deliver pamphlet to dwelling unit before renoeither a confirmation of receipt of lead pamphiet or a self-certification of delivery (samvation begins and document delivery with ole form on page 11).

Tenant-Occupied

Dwelling Units

Renovations in

prior to renovation and document with a cer-(h) Mail fead pamphlet to tenant at least 7 days tificate of mailing

Box 3

1. Provide owner with lead pamphlet using either procedure described in Box 1 above

Notify tenants and make pamphlot available. ∾ં Maintain written documentation describing notification procedures. ι,

changes occur in location, fiming, or scope of Provide supplemental renovation notice if renovation occurring. 4.

Key Terms (continued)

to presents a safety or public health hazard, or threatens property with signiffresponse to a sudden, unexpected event which, if not immediately attended Emergency Renovation — unplanned renovation activities done in cant damage

Examples 1: Renovation to repoir damage from a tree that fell on a house 2: Renovation to ropair a water pipe break in an apartment

building or project, rather than for a portion of the work. The general contrac-General Contractor — one who contracts for the construction of an entire tor hires subcontractors (e.g. plumbing, electrical, etc.), coordinates all work, and is responsible for payment to subcontractors.

housing specifically reserved for households of one or more persons 62 years Housing for the Eldedy — retirement communities or similar types of of age or older at the time the unit is first occupied.

states define this term differently than described above. Consult your state offipaint hazards. If you are hired to do lead-abatement work only, Lead PRE does not apply. Abatement does not include renovation, remodeling, landscaping, or other activities done to repair, restore, or redesign a given building - even if Lead Abatement — work designed to permanently eliminate lead-based these activities incidentally reduce lead-based paint hazards. (Note: Some cials if you are not sure how "lead abatement" is defined in your state.)

Lead Pamphlet -- the pamphlet Protecting Your Family From Lead in Your Home, or an EPA-approved alternative pamphlet. (See page 13 for intormation on obtaining capies.) Minor Repair and Maintenance - minor repair and maintenance activities, such as minor electrical work or plumbing, that disturb two square feet or less of painted surface per component.

Examples 1: Orilling holes in the wall to run an electrical line

2: Replacing a piece of window trim 3: Replacing a light fixture

Multi-family Housing — housing property consisting of more than four dwelling units. Owner — any person or entity that has legal title to housing, including individuals, partnerships, corporations, government agencies, Indian Tribes, and nonprofit organizations.

Record of Notification — written statement documenting the steps taken to notify occupants of renovation activities in common areas of multi-family housing, (See page 12 for sample.)

Common Areas of Multi-Family Renovations in Housing Units For all options keep records for 3 years after renovation is completed. Sample Forms on pages 11 and 12.)

Key Terms

Certificate of Mailing — written verification from the Postal Service that you mailed the lead pamphlet to an owner or a tenant. This is less expensive than certified mail, which is also acceptable for meeting Lead PRE requirements. (Note: if using this delivery option, you must mail the pamphlet at least 7 days prior to the start of renovation.)

Certified Inspector or Risk Assessor — an individual who has been rained and is certified by EPA or an authorized state or Indian Tribe to conduct lead-based paint inspections or risk assessments.

Common Area — a portion of a building that is generally accessible to all residents or users. Common areas include (but are not limited to) hallways, stainways, laundry rooms, recreational rooms, playgrounds, community centers, and fenced areas. The term applies to both interiors and exteriors of the building. (Note: Lead PRE requirements related to common areas apply only to multi-tamily housing.)

Compensation — payment or goods for services rendered. Payment can be in the form of money, goods, or services (bartering).

Component — specific design or structural element or fixture distinguished by its form, function, and focation. A component can be located inside or outside the dwolling.

Examples

Window sills and sashes Painted mofing 4ir conditioners Doors and trim downspauts **Sutters** and Chimneys Handrails clashing. Ccilings SOOME Soffits Floors Bathroom varilles Built-in cabinets Air conditioners Crown molding Doors and trim Counter tops Stair treads and trim Fireplaces Windows Radiators nteriors Shelves Cellings Beaning Floors Walls

Confirmation of Receipt of Lead Pamphlet — a form that is signed by the owner or tenant of the housing confirming that they received a copy of the lead pamphlet before the renovation began (See sample on page 11.)

Special Circumstances

Is painting considered renovation, even if no surface preparation activity occurs?

No. If the surface to be painted is not disturbed by sanding, scraping, or other activities that may cause dust, the work is not considered renovation and Lead PRE does not apply.

What if I renovate my own home?

Lead PRE applies only to renovations performed for compensation, therefore, if you work on your own home Lead PRE does not apply.

Is a renovation performed by a landlord or employees of a property management firm considered a compensated renovation under Lead PRE?


Yes. The receipt of rent payments or salaries derived from tent payments is considered **compensation** under Load PRE. Therefore, **renovation** activities performed by landlords or employees of landlords are covered.

Do I have to give out the lead pamphlet 7 days prior to beginning renovation activities?

The 7-day advance delivery requirement applies only when you deliver the **lead pamphlet** via mail; otherwise, you may deliver the pamphlet *anytime* before the **renovation** begins. Note, however, that the renovation must begin within 60 days of the date that the pamphlet is delivered. So for example, if your movation is to begin May 30, you may deliver the pamphlet in person anytime between April 1 and start of the project on May 30, or you may deliver the pamphlet via mail anytime between April 1 and Start of the project on May 30, or you may deliver the pamphlet via mail anytime between April 1 and May 23.

Tips For Easy Compliance

- Copy and use the sample forms on pages 11 and 12 of this handbook.
- Attach the forms to the back of your customer renovation or repair contracts. The completed forms can be filed along with your regular paperwork.
- 3. If a tenant is not home or refuses to sign the form, you may use the "self-certification" section of the form (on page 11) to prove delivery. This will reduce your paperwork.
- 4. Plan ahead to obtain enough copies of the lead pamphlet.



Where Can I Obtain More Information on Lead PRE?

Further information is available from the National Lead Information Clearinghouse (800-424-LEAD) or through the Internet (www.epa.gov/lead). Available resources include:

- Full text version of Lead PRE
- Interactive software which guides the users through the Lead PRE requirements on a step-by step basis
- Interpretive guidance which provides more detailed information on Lead PRE requirements

Why is Lead Paint Dangerous?

People can ingest lead by breathing or swallowing lead-based paint dust or by eating lead-contaminated soil or lead-based paint chips. Household animals are also at risk.

If not detected early, high levels of lead in a child can cause serious effects, including:

- Damage to the brain and nervous system
- Behavior and learning problems
- Slowed growth
- Hearing problems
- Headaches



Lead is also harmful to adults and can, among other effects, cause:

- Difficulties during pregnancy
- Other reproductive problems for men and women
- High blood pressure
 - Digestive problems
 - Nervo disorders
- Memory and concentration problems
- Muscle and joint pain



Lead can be dangerous to workers and their families if the worker brings equipment and clothing home after a job.

Other Resources

For additional information on how to protect yourself and your customers from lead paint hazards, call the National Lead Information Clearinghouse at 1-800-424 LEAD. Available chournents include:

- Lead-Rased Paint: Operations and Maintenance Work Practices Manual for Homes and Buildings
- Lead Safety for Property Owners, Developers, and Managers
- Reducing Lead Hazards When Remodeling Your Home
- Lead in Your Home: A Parents' Reference Guide
- Lead Paint Safety. A Field Guide for Painting, Home Maintenance, and Renovation Work.

Bold Type = Key Terms (see pages 8=10)

Disclosure Forms on Lead-Based Paint and/or Lead-Based Paint Hazards

Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards

Lead Warning Statement

Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of known lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention.

Les	ssor's Dis	sclosure					
(a)	Presence of lead-based paint and/or lead-based paint hazards (check (i) or (ii) below):						
	(i) Known lead-based paint and/or lead-based paint hazards are present in the housing (explain). (ii) Lessor has no knowledge of lead-based paint and/or lead-based paint hazards in the						
	()	housing.					
(b)	Records and reports available to the lessor (check (i) or (ii) below):						
	(i) Lessor has provided the lessee with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).						
	(ii)	Lessor has no reports or paint hazards in the hous		aining to lead-based paint and	or lead-based		
Les	see's Ac	knowledgment (initial)					
(c)	c) Lessee has received copies of all information listed above.						
(d) Lessee has received the pamphlet <i>Protect Your Family from Lead in Your Home.</i>							
Age	ent's Ack	knowledgment (initial)					
(e)		_ Agent has informed the I is aware of his/her respon		lessor's obligations under 42 Uensure compliance.	.S.C. 4852(d) and		
Cei	rtificatio	n of Accuracy					
		g parties have reviewed the ir ion they have provided is true		bove and certify, to the best of the e.	r knowledge, that		
Les	sor	Da	ite	Lessor	Date		
Les	see	Da	ite	Lessee	Date		
Age	ent	Da	nte	Agent	Date		

Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Sel	ler's Discl	osure					
(a)	Presence of lead-based paint and/or lead-based paint hazards (check (i) or (ii) below):						
	(i) Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).						
	(ii)	Seller has no knowledge of le	ead-based paint ar	nd/or lead-based paint haza	rds in the housing		
(b)	Records	and reports available to the s	eller (check (i) or (ii) below):			
	(i)	Seller has provided the purch based paint and/or lead-bas					
	(ii)	Seller has no reports or reco	rds pertaining to l	ead-based paint and/or lea	d-based paint		
Pu	rchaser's	Acknowledgment (initial)					
(c)		Purchaser has received copie	es of all information	n listed above.			
(d)		Purchaser has received the p	amphlet <i>Protect Yo</i>	our Family from Lead in Your	Ноте.		
(e)	Purchase	er has (check (i) or (ii) below):					
	(i)	received a 10-day opportunit ment or inspection for the p					
	(ii)	waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.					
Ag	enťs Acki	nowledgment (initial)					
(f)		Agent has informed the selle aware of his/her responsibili			852(d) and is		
Cei	rtification	of Accuracy					
		parties have reviewed the informore provided is true and accept the provided in the provided is true and accept the provided in the provided i		ertify, to the best of their know	vledge, that the		
Sel	ler	Date	Seller		Date		
Pur	rchaser	Date	Purchas	er	Date		
Age	ent	Date	Agent		Date		